



## Product Information

### SP1-BANJO

#### **CompactPCI®** Serial • ExpressCard™ Adapter

Document No. 5738 • 10 December 2013

*The SP1-BANJO is a peripheral board for CompactPCI® Serial systems. Its front panel situated ExpressCard™ slot allows flexible system expansion by an ExpressCard™ I/O or storage module. The push-push mechanics accommodate either an ExpressCard/54 (54mm x 75mm) or an ExpressCard/34 (34mm x 75mm). ExpressCard™ technology allows for installing and removing modules on the fly, without prior system shutdown. The SP1-BANJO is suitable for both types, PCI Express® and USB based ExpressCards.*

In addition, the SP1-BANJO is equipped with an Micro SATA connector, for attachment of an on-board 1.8-inch SATA SSD (Solid State Drive). SSDs offer less power consumption, superior speed, and an improved operation temperature range, compared to hard disk drives.

Furthermore, the SP1-BANJO is provided with a front panel Gigabit Ethernet jack. Usage of this connector requires a CompactPCI® Serial system with Ethernet support, via the backplane connector P6 (optional).



SP1-BANJO



SP1-BANJO

The SP1-BANJO is a CompactPCI® Serial peripheral card. CompactPCI® Serial (CPCI-S.0) is a new PICMG® standard (draft as of current) for modular industrial computers, which provides high speed serial I/O (PCI Express®, SATA, USB, Gigabit Ethernet) over the backplane. The CPCI-S mechanical design is fully backward compatible to CompactPCI® and will interoperate with existing systems, by means of a hybrid backplane.

Hybrid systems (providing card slots for both cPCI Classic & cPCI Serial) can be configured by means of a CompactPCI® PlusIO CPU card such as the PC1-GROOVE or PC3-ALLEGRO in combination with a suitable hybrid backplane.

Native CompactPCI® Serial systems (up to 8 cPCI Serial peripheral card slots) can be built around a suitable system slot CPU board such as the SC1-ALLEGRO.


### Feature Summary

- ▶ PICMG® CompactPCI® Serial Standard (CPCI-S.0) Peripheral Slot Card
- ▶ Single Size Eurocard 4HP 100x160mm<sup>2</sup>
- ▶ Backplane Connectors P1 (Mandatory) and P6 (Usage Optional)
- ▶ ExpressCard™ Host Adapter, Front Panel Access for 54mm and 34mm Width Cards
- ▶ PCI Express® and USB Based ExpressCard™ Supported
- ▶ Option 1.8-Inch Micro-SATA SSD (Permanently Attached to the PCB)
- ▶ Option Gigabit Ethernet Front Panel Jack (Backplane Slot Must Support P6 Ethernet)
- ▶ Long Term Availability
- ▶ Rugged Solution (Coating/Sealing Available on Request)
- ▶ RoHS compliant




Hybrid System w. SP1-BANJO (Rightmost Card Slot)

### Block Diagram




### Connector Assembly



SP1-BANJO Top View

### Front Panel




© EKF • draft - do not scale • ekf.com

SP1-BANJO





SP1-BANJO (Shown w. ExpressCard)



SP1-BANJO w/o RJ45




Small Industrial Systems (SP1-BANJO Rightmost)





2 x SP1-BANJO in a 84HP Rack



Industrial Computers Made in Germany  
boards. systems. solutions.

EKF Elektronik GmbH  
Philipp-Reis-Str. 4 (Haus1)  
Lilienthalstr. 2 (Haus 2)  
59065 HAMM  
Germany



Phone +49 (0)2381/6890-0  
Fax +49 (0)2381/6890-90  
Internet [www.ekf.com](http://www.ekf.com)  
E-Mail [sales@ekf.com](mailto:sales@ekf.com)