



Actual Size

# ADEPT3000

## Miniature Video Tracker

### Features

- Small size: 24 mm x 34 mm
- Very low power consumption: ~1W
- Composite video input and output
- On-board RS232 TTL serial port
- Single target tracking
- Image Stabilization
- Closed loop tracking
- Easy to set up and use

GE Intelligent Platforms ADEPT3000 is a cost-effective SWaP optimized automatic video tracking solution for platforms where size, weight and power consumption are severely constrained, such as in the cramped space of small unmanned aerial vehicles and man portable devices.

Despite its extremely small size, GE's ADEPT3000 offers high performance single target tracking with any standard definition analog video signal. Approximately the size of a microprocessor chip, the commercial off-the-shelf (COTS) ADEPT3000 operates as a stand alone unit allowing great flexibility in board location.

The ADEPT3000 incorporates on-board serial links allowing it to interface to most platforms and is designed for easy configuration and device control with intuitive menu-driven software. It is fully ruggedized to survive in the harshest commercial and military environments.

The ADEPT3000 is the first element in a line of image processing products which include electronic image stabilization, SVG graphics overlay and video compression, with multiple cards working together to provide an extremely versatile image processing subsystem with common video and communication links.



# ADEPT3000 Miniature Video Tracker

## Specifications

### Detection and Tracking

- Single target tracking using phase correlation
- Image stabilization using warp-based post-processing

### Size

- 24 mm x 34 mm

### Weight

- ~ 6 grams

### Power Requirements

- ~ 1W@3.6V

### Connectors

- 0.1 inch pitch holes for direct wiring to customer board or SIL header pins

### Video Input

- Analog Input
  - Composite video, 1.0Vp-p when terminated with a 75 ohm load
  - CCIR, PAL, RS170, or NTSC

### Video Output

- Analog Output
  - Composite video, 75 ohm impedance, 1.0Vp-p when driving a 75 ohm load


### Control Interfaces

- 2 off RS232, TTL, asynchronous, up to 115,200 baud providing access to configuration and status data and to a web interface (TCP-IP over serial)

### Environmental

- Designed to meet rugged military environments  
Environmental Specifications subject to mounting

## ADEPT3000 with example carrier card



## Ordering Information

### ADEPT3000

Miniature video tracker

## About GE Intelligent Platforms

GE Intelligent Platforms, a General Electric Company (NYSE: GE), is an experienced high-performance technology company and a global provider of hardware, software, services, and expertise in automation and embedded computing. We offer a unique foundation of agile, advanced and ultra-reliable technology that provides customers a sustainable advantage in the industries they serve, including energy, water, consumer packaged goods, government and defense, and telecommunications. GE Intelligent Platforms is a worldwide company headquartered in Charlottesville, VA and is part of GE Home and Business Solutions. For more information, visit [www.ge-ip.com](http://www.ge-ip.com).

## GE Intelligent Platforms Contact Information

Americas: **1 800 433 2682** or **1 434 978 5100**

Global regional phone numbers are listed by location on our web site at [www.ge-ip.com/contact](http://www.ge-ip.com/contact)

[www.ge-ip.com](http://www.ge-ip.com)

